

# 4000hp Model Bow Tug - 13708



Ocean Marine Brokerage Service |  
Louisiana  
(985) 448-0409 / Fax: (985) 302-0984

Vessel # 13708 / TG

Contact: Steve Kokinos -  
[steve@oceanmarine.com](mailto:steve@oceanmarine.com)

## REGISTRATION

<b>YEAR BUILT:</b>	1945 rebuilt 2001
<b>BUILDER:</b>	MARIETTA MANUFACTURING CO
<b>FLAG:</b>	Togo
<b>CLASSIFICATION:</b>	INSB
<b>CONSTRUCTION:</b>	Steel
<b>GROSS / NET TONS:</b>	275 / 187
<b>LOADLINE:</b>	INSB

## LOCATION

<b>LOCATION:</b>	AFRICA
------------------	--------

## DIMENSIONS

<b>LENGTH:</b>	150 FT. / 49.21 MT.
<b>BEAM:</b>	33 FT. / 10.83 MT.

REG. LENGTH: 141.6 FT. / 46.46 MT.

---

## PERFORMANCE

SPEED: 12 KTS

---

## ACCOMMODATIONS

STATEROOMS: 16

---

## MACHINERY

MAIN ENGINES: 2 EMD  
HORSEPOWER: 4000  
PROP: FPP  
NOZZLE: No  
GENERATORS: GM  
(3) - 75 KW  
BOW THRUSTER: No  
STERN THRUSTER: No

---

## DECK EQUIPMENT

CRANES: None  
STERN ROLLER: No  
WINCH TYPE: (2) 65 ton  
PUSH KNEES: No  
SPUD WELLS: No  
SPUD WINCH: No

---

## ELECTRONICS

AUTO PILOT: Yes  
DEPTH FINDER: Yes  
PLOTTER: No  
EPIRB: Yes  
GPS: Yes  
RADIO VHF: Yes  
RADIO SSB: Yes  
RADAR: Yes

---

## OTHER EQUIPMENT

AIS, Navtex

---

## DESCRIPTION

Used Steel Twin Screw 4000hp Model Bow Tug For Sale. Rebuilt 2007. New main engines in 1976,rebuilt 2007.(2) 65 ton towing winches.INSB classed last drydock Oct 2014.Ice Strengthened hull.Sleeps 16 persons.Working.Prefer to sell en bloc with two tank barges(seeinfo below) or may consider separate. Barge#19.825 mt tank capacity,built 1976 USA,single hull,dims 110 x 20m mtrs - max loaded draft 6.3 m,INSB class Manned Oil Barge,10 tanks ( isolated) - 9.825 ts cap. BARGE#28.237 mt tank capacity,built 1971 USA.double bottom, single sides.dims 107 x 20 m - max loaded draft 6.55 m.INSB class Manned Oil Barge - last drydock 10/2014.10 tanks ( isolated) - cap 7110 mts.2 pums 240 ts/hr each driven by 2 x GM 230 hp engines each.accommodation 4 persons.2 x Boiler and heating coils fitted for HFO and outside of WAF also for BITUMEN.Overfill alarms fitted - 4 fenders for STS operations.Approx 2.400 LDT.